

# CRAFTA FORMS

FINISHES STUDIO



# 101

## RATTANA -P8RT-Random Triangle Synthetic Rattan Panel

**RATTANA –P8RT–Random Triangle Synthetic Rattan Panel** is a 3D woven synthetic rattan wall panel featuring a bold random triangle pattern. Made from durable HDPE, it offers a modern architectural woven texture for luxury interiors. Moisture-resistant, lightweight, and available in custom sizes and colors, it is ideal for hotels, restaurants, retail, and residential feature walls.





# Rattana -P8RT

## Random Triangle Synthetic Rattan Panel

The RATTANA – P8RT Random Triangle Panel is a decorative synthetic rattan cladding designed to create strong visual depth in modern interiors. Crafted from high-quality HDPE, this durable synthetic rattan decorative panel resists moisture, fading, and cracking, ensuring long-lasting performance. The 3D woven wall panel design adds architectural texture to feature walls, partitions, and reception areas. Available in custom sizes and multiple colors, it suits hospitality, retail, office, and luxury residential spaces. A fire-retardant option is available upon request.

### MATERIAL

HDPE Synthetic Rattan

### DIMENSION

Panel Size

3000×700 mm

Thickness

8–10 mm

Fire Rating

Fire-retardant (Option)

### SURFACE FINISHES

Modern Woven Texture

### FINISHES



Walnut



Mosswood



Obsidian




Sandrose



Custom

### DIMENSIONAL DETAIL




Thickness: 8–10 mm

Download .dwg ↓




# Finishes


The RATTANA – P8RT Random Triangle Panel available in Brown, Yellow, Green, Red, Grey, and Dark Brown, with custom color options upon request. The surface features a textured 3D woven finish with a natural rattan appearance. Panels are UV-stable and color-consistent. A fire-retardant treated finish is available for commercial projects requiring enhanced safety compliance.



**P8RT-01**



**P8RT-02**



**P8RT-03**



# Installation Detail

The RATTANA – P8RT Random Triangle Panel can be installed on plywood, MDF, gypsum board, or metal framing substrates. Ensure the surface is clean, dry, and level before installation. Panels may be fixed using screws with finishing caps or construction adhesive, depending on project requirements. For large installations, use proper alignment and spacing to maintain the woven pattern continuity. Professional installation is recommended for best results.



# Connect with Us

**Where ideas meet materials.**  
Let's create spaces that speak  
through surface, texture, and  
detail.

[ask@craftaforms.com](mailto:ask@craftaforms.com)

[craftaforms.com](http://craftaforms.com)

[@insta.craftaforms](https://www.instagram.com/insta.craftaforms)

CRAFTA  
FORMS  
FINISHES STUDIO